

ANSWERS TO SRA QUESTION ON Subpart W Hearing Website

1. What is the max # of attendees? (Eventbrite requires this) Currently we have indicated 250 each session.

(b) (5) - Deliberative process privilege

2. Who should people contact, SRA or EPA? Who specifically. (If you look at the website there is a contact organizer button – we need to add contact information – it will automatically email the lead) EPA.

Make it me:

Anthony Nesky
nesky.tony@epa.gov
Tel: 202-343-9597

3. Are there any other instructions for those wanting to speak (e.g., do they need to provide a written statement)?

(b) (5) - Deliberative process privilege

4. Do the attendees need to print out and bring a ticket? (the site provides for this)

YES. The ticket should include the complete registration information, name, affiliation, etc.

5. What information/instructions do they want in the confirmation e-mail?

Please include the following in the confirmation email--

BUILDING LOCATION

The EPA Region 8 office is at 1595 Wynkoop Street, Denver, CO 80202-1129. The building is located along the 16th Street Mall in downtown Denver, adjacent to Union Station and across from the Tattered Cover bookstore.

PARKING

The City of Denver provides information on parking here:
<http://www.denvergov.org/tabid/437781/Default.aspx>

DRIVING DIRECTIONS

If coming from Denver International Airport--

Follow the "Airport Exit" signs to proceed south and west on Pena Boulevard for about 9 miles. Keep following the natural turn to the right as Pena Blvd. turns into Interstate 70 West, heading toward downtown. Follow I-70 West for 10 miles before exiting onto I-25 South. Two miles after turning south on I-25, take the Speer Avenue South exit and make a left towards downtown and the Pepsi Center. Upon crossing the Interstate, you will see the Pepsi Center on your right. Stay left and make a left at the stop light on Wewatta Street (there is a lefthand turn lane provided). Head across a small bridge and go straight until you reach 15th Street. Make a right oin 15th Street, and your first left on Wynkoop Street. The EPA building is on the left, with the building entrance off of 16th Street.

If coming from the north, south or west--

Take Interstate 25 to the Speer Boulevard South exit and follow the directions two paragraphs above.

SECURITY REQUIREMENTS

Visitors to EPA's regional office must show identification and pass through security screening at the building entrance. The EPA Region 8 office building is a Level-4-security building, similar to what you experience at the airport. All visitors need to bring a government-issued photo ID (i.e., a driver's license). You will be asked to show this ID as you enter the lobby.

Please arrive at the building 15 minutes before any talks or events you have scheduled. Our security screening process is similar to screening at the airport: you will be asked to walk through a magnetometer (removing metal objects from your pockets), and your coats, bags etc. will be x-rayed. We regret that we do not have facilities to check coats or bags. You will be provided with a visitor badge after you pass through security. Please wear this at all times while you are in the building.

Video, as well as photos of any kind, are not allowed. Also, NO weapons of any kind are allowed in the building. This includes mace, knives, guns, etc. You will not be permitted in the building if you have any of these items.

(b) (5) - Deliberative process privilege

[REDACTED]

6. When should the registration site close?

(b) (5) - Deliberative process privilege

7. Do we want to include a drop-down list for them to select the time period they want to speak?

(b) (5) - Deliberative process privilege

We would also like you to review the information we added to the registration website – we copied that information from your website and it might now be what you want on the registration site. See below--

(b) (5) - Deliberative process privilege

Also, on the Registration Form, please change “Work Information” to “Affiliation”, and Company/Organization to “Who are you representing?”